



Manual

Table of Contents

1. Introduction.....	4
2. Overview.....	5
2.1. Prerequisites.....	5
2.2. Supported vehicles.....	5
2.2.1 Check for support with xHP.....	6
2.3. Hardware needed.....	6
2.3.1 Android USB/OTG compatible Smartphone/Tablet.....	6
2.3.2 USB/OTG Adapter.....	7
2.3.3 OBD/DCAN cable.....	7
2.4. xHP Licenses.....	8
2.4.1 General Flash License.....	8
2.4.2 Super License.....	8
2.4.3 Multi Licenses.....	8
2.4.4 Multi-License for Professionals.....	9
2.5. OTS Maps.....	9
2.6. Custom Maps.....	10
3. Connecting to your vehicle.....	12
3.1. Preparing Android device.....	12
3.2. Preparing vehicle.....	12
3.3. General connect procedure.....	13
4. Using xHP.....	14
4.1. Account selection.....	14
4.2. General Navigation.....	14
4.2.1 Top menu.....	15
4.2.2 Car menu.....	15
4.2.3 Bottom Bar.....	15
4.3. First Steps/Install xHP.....	15
4.4. Reading/deleting fault codes.....	16
4.5. Flash Maps.....	17
4.5.1 Flash OTS Map.....	18
4.5.2 Flash Custom Map.....	19
4.5.3 Flash Settings/Custom. Module.....	20
4.6. xHP Store.....	21
4.7. Sidebar Menu.....	22
4.7.1 Miscellaneous functions.....	22

5. FAQ.....	24
6. Credits	29
7. Disclaimer	30

1. Introduction

xHP Flashtool is the worldwide first and complete Tuning solution for your BMW with ZF6HP automatic transmission. After 1.5 years of community driven development and some more 6 months + thousands of additional development hours, we are proud to announce the first all-in-one solution for BMW 6-speed automatic transmissions. xHP put's the power to fully customize your automatic transmission at your hands. Connect your Android smartphone to your car and customize around 100 maps by yourself or choose from pre-defined OTS maps in the xHP in-App Store. Starting in February 2017 with support for 325d/330d/335d (E9x series) we will continuously work towards support of the whole BMW range. Next on the list are N54/N55 equipped E9x and E8x series cars.

Since introduction of the ZF 6HP transmissions in BMW vehicles in the early 2000s they remained a blackbox for Tuners and car enthusiasts worldwide. While the ZF units have been tuned for many years now in other vehicles, BMW applied intense encryption and signature mechanisms to avoid Tuners and enthusiasts from doing so. While this is understandable from a manufacturers perspective, it does not satisfy the needs of BMW enthusiasts worldwide. The ZF6HP units were used throughout the whole BMW range from the 1-series hatchbacks to the mighty Alpina B5 cars putting out around 500 bhp and 700 Nm of torque. While the hardware stays widely the same throughout all applications and is mainly divided in only 2 types (6HP19/21 and 6HP26/28), the software inside the controller makes it possible to adapt the transmission to every vehicle and mimic a wide range of driver styles. Smooth and comfy (some call it "sluggish") in the Diesel applications, the same transmission in the Alpina B3/B5 come with a way more sportier touch and make it hard to believe, that they are from the same breed.

Tweaking your transmission is not only about getting quicker or holding more power. Few people are aware of how deeply an automatic transmission contributes to the overall driving experience. From crawling in traffic, over city driving, to taking your vehicle to the drag strip or a race track, the TCU widely defines how your car feels. Like everyone drives different with a manual, the maps inside the TCU hide the secrets to tweak your automatic transmission to your personal likings and finally experience what BMW promised you once in the glossy brochure:

Sheer driving pleasure!

2. Overview

This manual will guide you through the process, how to flash your TCU (Transmission Control Unit) with xHP. We've done everything to make this process as easy, safe and smooth as possible. However, tuning a vehicle and flashing control units inside of the car always requires paying attention to certain things and prerequisites. On the next pages, we will list the prerequisites needed and how to avoid any problems, before they can occur.

The flash method used by xHP is 100% safe for your TCU! You won't be able to brick it.

But however, it saves you a lot of time, doing things proper once and not half-baked a dozen times. Please read this guide thoroughly to get the most out of xHP and your transmission.

2.1. Prerequisites

In order to safely flash your TCU, it is mandatory to use the right hardware and prepare your vehicle. Please make sure you don't have any mechanical problems on your transmission. xHP won't cure bad mechanics. **Never.** If you're already experiencing flared shifts, wrong shifts or jerks during shifts, your transmission most likely needs service before tweaking it.

Don't use xHP with transmissions not in fully operating state.

Additionally, xHP will **not** flash transmissions or transmission controllers outside of the car. (Bench flashing) The operation is solely restricted to in-car usage on supported BMW vehicles.

2.2. Supported vehicles

xHP is developed for flashing ZF6HP automatic transmissions in BMW vehicles. It won't connect nor operate on other vehicle brands or other automatic transmission like ZF8HP or BMW DKG (double-clutch). The ZF6HP was BMW's automatic transmission of choice for nearly their complete lineup, from the early 2000s to 2011. On some vehicles until even 2013.

However, BMW used a variety of transmission controllers throughout these years and not all of them are supported. To check if your vehicle is supported please visit www.xhpflashtool.com and search for your car. If it is not yet supported, it does not mean, it never will be. Please like us at [Facebook](#) to get every update on supported vehicles, or head to the "Contact" chapter of this manual and write us an e-mail. We're happy to integrate vehicles on customer demand.

2.2.1 Check for support with xHP

If you have all the hardware already in place (see Chapter 2.3), you can just download xHP for free from the Google Play Store and connect it to your car. After connecting on the main screen, click the Car Symbol in the upper, right corner. xHP will connect to our database and check for support immediately. There are 2 stages of support. “Flashable” will tell you, if xHP is able to flash your car in general. “Available OTS Tunes” tells you, if we already got pre-defined Tunes for your vehicle in our database. If we don’t have tunes ready yet, you can still build your own tunes (see Chapter 2.6). There are lots of communities like spoolstreet.com, e90post.com, n54tech.com etc. where people exchange knowledge and home brew tunes for xHP. **Please note the two TCU HW#** in the screen on the left. The first number is your current TCU Program-Number (referred to as HW#), the second, bracketed one is the latest available. xHP will upgrade your TCU on install to the latest program and will only show maps for this one as compatible in the shop.



2.3. Hardware needed

Basically, you need 3 things to start:

- ✓ Android smartphone with USB OTG functionality
- ✓ USB/OTG Adapter
- ✓ OBD/DCAN cable

Additionally, we strongly encourage you, to use a vehicle charger during the backup and first flash. Backup and first flash will require round about 30 minutes each, so if you’re not on a good battery, it is recommended to charge the vehicle during this process. (read more on that in Chapter 3 of this manual)

2.3.1 Android USB/OTG compatible Smartphone/Tablet

xHP is developed to require very little resources. As a minimum requirement, make sure to have at least Android 4.3 installed on your device, although we recommend Android 5.0 and up. Android 4.3 was introduced in 2012, so if you want to search for a used Android phone,

you probably want to look out for units from 2012 and up. We recommend Samsung devices, as most of them support USB OTG. To check if your device is compatible, simply try to download xHP from the Google Play Store. If Google declines, your device does not meet the requirements.

You can also go to the Google Play Store and visit the xHP Flashtool page, to check for support.

2.3.2 USB/OTG Adapter

These adapters come in various forms, from short sockets, to longer cables for extended use. However, all of them seem to work reliable. During our testing phase, there hasn't been any error trackable to these adapters. Just search them on Amazon or Ebay. Thinking of vehicle situations, it's probably best to use one coming in short-cable form-factor, like the one you see on the right side. Costs: 5 – 10 USD.



2.3.3 OBD/DCAN cable

xHP uses the well-known OBD/DCAN cables to connect to your TCU. These cables are usually marked as "INPA compatible", which refers to the BMW OEM diagnostic tools. Be sure to buy a proper cable with a genuine "FTDI RS232" chipset. These cables can be bought from various sources. (Webshops, Amazon, Ebay...) Proper ones' cost approx. 60 – 100 USD. Be sure not to safe on the cable, as xHP relies on a proper cable to work correctly.

Suggestions for Cables:

- USA: [Pro Cable from Bimmergeeks](#)
- Europe & International: [Bimmer - Connect Premium Cable](#)

If you're from another region, please search some of your local BMW forums, where to best buy an OBD/DCAN cable near your location.

2.4. xHP Licenses

Once you're done with the basic process (see Chapter 3 in this manual) you may proceed to the xHP Store and buy the appropriate items for your vehicle. Without buying a license you are restricted to reading/deleting fault codes and do a full read on your TCU. To flash your vehicle, you need to buy either the "General Flash License", or the "Super License" from the xHP inApp - Store.

2.4.1 General Flash License

This License enables unlimited flashing for a single vehicle. With the "General Flash License" you can either buy and flash OTS Maps out of the xHP in-App Store, or develop your own maps (see Chapter 2.6) and flash them to your vehicle. When purchasing the license, xHP will lock it to the vehicle stored on the device. So before purchasing a license, you need to connect the app one time to your vehicle and store it. The app will ask you for that on the first connect.

2.4.2 Super License

The Super License works equal to the "General Flash License", but includes all available OTS Maps in one sweep. It is still only valid for a single vehicle. You will get the Flash License + Stage 1,2 and 3 Maps with a discount, compared to purchasing the items separately. This will give you the possibility to try all 3 Maps and switch between them as often as you like. Map switching can be done within 2 minutes. Please note, that the Super License is not available for all vehicles. You need to store your car onto the device, before you are able to purchase the Super License. If the License is not available for your car, the app will message you on purchase accordingly.

2.4.3 Multi Licenses

Starting with App-Version V2.0.3, xHP supports up to 3 vehicles per device. (older app versions can only handle 1 vehicle per device and Google account) Please note, that there are no special "Multi-Vehicle" Licenses. All Licenses and Maps get tied to a specific VIN on purchase. For example, if you want to flash 2 identical cars, you need to buy at least one license per car and one map per car. The process of managing multiple cars on one device is easy. The app will recognize, when there is a yet unknown vehicle connected to it and will ask you to save it on the device. You can save unlimited vehicles to a device but will only be able to purchase licenses for 3 of them! All saved vehicles are available in the "Car Chooser", accessible through the App's bottom bar. Once you select a car from the list (or connect to it through OBD cable) the app will switch to it and only show you licenses and maps that were bought for this car. In the Car Information Screen (accessible through the Car-Symbol on top right) you

will see the detailed data of the selected car and the flash history. All purchases carried out, will be tied to the active car. **Do not** try to circumvent the 3 car flash limit by deleting/moving files on the device, or starting the app on the same device but with different accounts. This can lead to unintended behavior and in the worst case to a bricked TCU!

2.4.4 Multi-License for Professionals

We offer a dedicated application - called xHP Pro - for Tuners. Please email us at office@rbttuning.com for a quote!

All Licenses will be stored onto your Google Play Account. That means, you can switch to another device and use xHP there to, as long as it uses the same Google account as primary account. However, we do not recommend working with more than one device at the same time, as this might lead to confusion, which map was flashed last in the past. If you want to discontinue using one device and switch to another, please look in the FAQ section how to do it. Multi – Licenses for professional Tuners are planned for release End of September 2017. If you are interested in one of those, please head to the “Contact” chapter of this manual and contact us through E-Mail. In later revisions of the xHP tool, more licenses will be available, regarding diagnosing and logging of your transmission. Like us on [Facebook](#) to keep track of those developments.

2.5. OTS Maps

Once you purchased the xHP License, you will be able to flash pre-defined OTS files from the xHP Store. OTS files are available in 3 different configurations: **Stage 1**, **Stage 2** and **Stage 3** While the exact feature list of each calibration will depend on your vehicle, you can expect the following general orientations:

Stage 1	<ul style="list-style-type: none"> - Optimized D Shiftpoints to facilitate sporty, yet economy style driving - Optimized Shift Strategy for up/downhill driving - Optimized Warmup Behaviour - Optimized Torque Converter Lockup in 1st/2nd/3rd gear - Lowered minimum RPM limit manual mode - Adapted Torque Limits for Tuned engines - Gear Display in Dash in D/S/M Modes (where supported)
----------------	---

Stage 2	<ul style="list-style-type: none"> - Optimized D & S Shiftpoints for better acceleration in part and full throttle situations - Firmer, sportier upshifts in D/S/M mode - Faster paddle response time - Optimized Shift Strategy for up/downhill driving - Optimized Warmup Behaviour - Optimized Torque Converter Lockup in 1st/2nd/3rd gear - Raised Torque Limits for Tuned engines - Gear Display in Dash in D/S/M Modes (where supported)
Stage 3	<ul style="list-style-type: none"> - Optimized D & S Shiftpoints for better acceleration in part and full throttle situations - Race-like upshifts with TQ increase - Shift times approx. 50% faster in S/M Modes - Shift times approx. 25% faster in D Mode - True Manual mode (no automatic upshift in M mode) - Automatic Rev-Matching (Throttle – Blip) on Downshifts in S/M Modes - Faster paddle response time - Optimized Shift Strategy for up/downhill driving - Optimized Warmup behavior - Optimized Torque Converter Lockup in 1st/2nd/3rd gear - Even more raised Torque Limits for Tuned engines - Gear Display in Dash in D/S/M Modes (where supported)

2.6. Custom Maps

For the advanced enthusiast, we're offering the possibility to flash custom tunes. Once you bought the general xHP Flash License (see Chapter 2.4) you'll be able to create your own files and flash them through xHP. To create or edit your files you can use any editor, capable of processing Hex/binary files. However, we recommend using TunerPro as your editor of choice to do so.

You can download the free version at <http://www.tunerpro.net/downloadApp.htm>.

We created an xdf definition file, which you can load into TunerPro. The xdf will configure TunerPro to display around 100 maps with the right axis and conversion factors. The latest xdf Version can be downloaded from here https://www.xhpflashtool.com/resources/6hp_xdf.zip However, the community is encouraged to work on the xdf and add more tables over time. So, you probably will find extended xdf's in the Web. A good place to start your search is www.spoolstreet.com. There are a lot of different TCU versions out there, and there may be cases where the standard xdf does not match your TCU file exactly. If you ran in such a case, feel free to contact us.

We strongly recommend you to **ONLY** use the backup file, xHP creates on the first connect to your vehicle, as base file for your work.

You will find the backup on your Smartphone in the folder: xHP Flashtool/xhp_tcu_xxxx.bak

NEVER overwrite the backup file. Place your tunes in the "Custom Tunes" subfolder instead!

Using files dumped from other vehicles or downloaded online can lead to unwanted effects. The TCU sports well over 4000 maps and thousands of single byte switches, which define the behavior of your transmission during operation. Using files from other vehicles put's your car at risk of falling into limp mode at any given time. Limp mode will leave you stuck in 3rd or 5th gear and will lock the transmission in "P" position, once you restart. xHP can recover the transmission from such a failure, but as long as you're not using a matching calibration file, you are at risk of limping any time again.

Once you created your own calibration, upload it onto your Android device in the *xHP Flashtool/Custom Tunes* folder. xHP will let you pick files only from this location. Before starting the flash process, xHP will carry out extensive sanity checks on the file and correct all Checksums on the fly. If this process fails, you very likely edited restricted parts of the file. Albeit extensive checking beforehand, it cannot be guaranteed that your custom files will work on your transmission.

Only do custom tuning if you're well aware of what you're doing and have at least some experience in ECU Tuning!

3. Connecting to your vehicle

Once you downloaded xHP on your compatible Android device and having the additional hardware in place (see Chapter 2), you are ready to connect to your vehicle. This chapter will guide you through the steps needed ANY TIME before attempting to read or flash your vehicle.

3.1. Preparing Android device

- Make sure your Android device has at least **25% battery capacity** left.
- Set your device to **Flight Mode**. An interrupting call may lead to failure of the procedure.
- Close all other Apps, that may disturb communication on the USB OTG port.
- Grant a general and permanent permission for xHP to access the USB OTG port on your device. xHP will ask you for this on startup. Be sure to check the permanent option.
- Once a flash has started, leave your device alone. The most common cause of a flash failure is mechanical stress on the USB connection.

3.2. Preparing vehicle

- Make sure not to open/close doors during the process. If you want to stay outside during the process, open the side window and operate your Android device standing next to the vehicle.
- Turn on Ignition, but do NOT start the vehicle. Do so, by inserting your key and pressing the "Start" Button for at least 2 sec, without touching the brake. Note: This procedure is recommended even on cars equipped with "Keyless Go" feature. You MUST NOT start your engine!
- Make sure your transmission is in "P" position.
- Turn off ALL auxiliary devices: Headlights, Interior Lights, Heating, Heated Seats, Radio, Nav Screen etc.
- Once again: Set your Android device to flight mode. Incoming calls through Bluetooth will disturb not only the Android device, but your car too.
- Make sure you're only flashing with a good, healthy battery. xHP will refuse to start a read or flash operation below a certain voltage level.
- We also recommend a proper voltage supply during the install. ("Long-Flash") The car can draw up to 30 Amps during the flash, so we recommend a supply able to deliver at least 30 Amp@13,8V. (e.g. Maas SPS-30) The voltage supply needs to be connected in the engine bay. DO NOT connect directly at the vehicles battery. A normal battery tender or charger does not help to stabilize the voltage during the process. It can only help to pre-charge the battery in advance.
- The very first flash on your vehicle will "Install" xHP on your car. This procedure takes approx. 30 min. We **HIGHLY RECOMMEND** using a vehicle charger for the first flash. After installing, the following flashes will take no more than approx. 5 minutes. These flashes can be carried out without a charger, but you do not want to see voltage levels below 12V when starting a flash. xHP will display your battery voltage in the car information section. It is NOT possible to flash the TCU while the engine is running.

- If you have any piggy-back solutions installed which interfere on the CAN Bus (like JB4) be sure to turn them off. In certain cases, you probably need to remove them completely from the vehicle before. **WE RECOMMEND YOU TO DO SO**, before using xHP!

3.3. General connect procedure

If you attempt to read or flash your vehicle, please obey the rules outlined above. If you just want to test your connection, read your fault codes or take some logs (included in later revision of xHP) you can do this anytime safely with the following procedure:

- Plug in your OBD/DCAN cable to the OBD port of your vehicle. The OBD port is located in the drivers footwell on the left side. (remove the plastic cover marked "OBD")
- Connect the OBD/DCAN cable with your USB OTG Adapter.
- Unlock your Android device
- Connect the USB/OTG adapter to your Android device and wait for the USB permission screen to pop up. Please make sure that you're granting permanent access rights to xHP in this screen. On some Android versions, the screen will only appear after startup of xHP. Wait a few seconds after connecting the USB OTG cable.
- Start xHP and hit the Connect Button.
- If the vehicle is connected for the first time you will be asked if you want to save the vehicle data onto your device. Answer with "Yes". If there is no Backup of this vehicle present, xHP will ask you to create one.
- If there's already a backup stored on the Android device, you will be asked to carry out the initial install procedure. (First Flash, approx. 30 min) The install procedure requires a valid flash license. (see Chapter 4.5)
- If the Backup and Install Procedure has already been carried out in the past, you can now start to flash custom maps, or buy maps from the xHP Store.


4. Using xHP

This chapter will guide you step by step through the usage of xHP. From navigating the app, through buying maps in the store, to finally flashing your vehicle.

4.1. Account selection

On first startup or re-install, xHP will ask you to select a user-account. If you run multiple user-accounts on your Android device, be sure to always select the same account. If you accidentally chose a wrong account, re-install xHP and chose the correct one. We will use this account information to synchronize your purchases with Google Play, even across devices. This means, you can use xHP on 2 devices at the same time (starting with App Version 2.0.3), if they are on the same Google Play Accounts.

4.2. General Navigation



After startup, you will find yourself on the main screen, which is the central hub for all activities. After every operation, the app will return to this screen. If you're ready to connect your vehicle (see Chapter 3) just hit the "Connect" Button. The app will guide you through the next steps needed.

4.2.1 Top menu

On the top left, you have access to the side bar menu which hosts miscellaneous functions like displaying the manual, viewing contact details or the app credits.

4.2.2 Car menu

The car symbol on the top right, shows you the actual connection status. Whenever there's a vehicle connected to xHP it will turn blue. Click on it and you will get additional information on the currently connected vehicle and installed maps. (if applicable)

4.2.3 Bottom Bar

The bottom bar holds the main xHP functions, which are:

- Main screen
- Read/Delete TCU fault codes
- Flash Custom or OTS Maps
- Visit xHP Store

Note: The bottom bar will disappear, while carrying out operations on the car.

4.3. First Steps/Install xHP

xHP is developed to be failsafe and to let you return to your stock TCU configuration at any time. Therefore, the very first step is to create a full backup and install xHP on to your vehicle. This is a 3-step process, through which you will be guided through on the main screen of the App. Once you start the app for the first time you will be greeted with a "Connect" Button. By pressing, xHP retrieves all necessary vehicle data and checks your Transmission controller for support. If your vehicle is supported, the button will change to "Backup". Before proceeding please read Chapter 3 in detail and prepare your vehicle! The Backup – Process will require around 30 – 40 minutes.




After successfully creating your Backup, xHP will prompt you to start the Install procedure. Installing xHP takes approx. 20 minutes and serves as accelerator for future flashes. Once the install procedure is complete, you are ready to enjoy the full potential of xHP!

4.4. Reading/deleting fault codes

Through the bottom bar you can access the fault code section of xHP. xHP will read out all fault codes from the TCU and display it conveniently in a tabbed-styled view. If applicable you will be able to clean fault codes or recode your TCU (this only applies if a backup from your vehicle is already stored on the device). Additionally, you can copy the displayed fault codes to the clipboard..

Note: xHP will currently not read fault codes from other units in your car. This is planned for a later release.





4.5. Flash Maps

Overview Screen

Through the bottom bar you can access the “Flash Maps” section of xHP. You will see a list of your previously bought Licenses and OTS Maps (see Chapter 4.5 xHP Store). You can choose either to flash one of your bought OTS Maps, or flash a custom map. You can flash all maps, as often as you want and change between maps as often as you like.

“Flash Custom Map” opens a file browser. Please copy your custom tunes to the “Custom Tunes” subfolder. xHP will let you choose files only from there.

Note: If you want to revert to your stock map, you can do this in the Sidebar Menu, under Miscellaneous functions.




Map Detail Screen

Clicking a map brings you to the Map detail screen, where you will see a detailed description of the map, a feature list and the changelog of the OTS Map. xHP will automatically download new versions of your bought map, when they are available. By scrolling down, you can look into the changelog, which tells you what has been changed in different versions. xHP won't overwrite old versions. You get to choose which version you want to flash. By clicking “Flash” xHP will prompt you to prepare your vehicle for the following flash. Clicking “OK” will finally initiate the flash procedure.

4.5.1 Flash OTS Map

xHP will flash the calibration section of your Transmission controller with the chosen calibration file. xHP will calculate and display the remaining time during the whole procedure. The flash process is designed to be failsafe and will automatically correct small errors or error prone connections, to a certain degree. However, if a flash fails, you can just start over. xHP is designed to keep your Transmission controller safe in every step of the process. Don't worry, if your car starts the "Gong" or shows various error messages on the CIC, during the flash process, as this is perfectly normal. All errors will be cleared after the flash procedure has finished. When the flash has finished, the App prompts you, to switch off your Ignition and let your car sit for a few seconds.



For an error-free flash procedure and to put as little load as necessary on your battery, please pay attention to Chapter 3 before flashing your vehicle!

Note: xHP will check the connection and battery voltage of your vehicle before flash. If your voltage is below 12.0V, xHP will refuse to start the operation.


Note: In the Car Information section (Vehicle button top right) you will find a history of the last files flashed.

Note: Starting with App Version 1.2.2, xHP supports Program-Updating. If you installed xHP already with an app version prior 1.2.2 and there is a manufacturer Program-Update available, xHP will carry out the update procedure on the next flash. xHP will show a message before flash accordingly. Check the Car Information Screen to see, if there is a program update available. (HW#)

Do NOT close this window, or exit the App during the Flash Process.

4.5.2 Flash Custom Map

Before proceeding to flash, xHP will carry out extensive sanity checks on your custom calibration. If xHP reports a bad file you very likely edited a restricted section in your file. (e.g. Program part, Project numbers etc.) After completing the sanity check, xHP will flash the calibration section of your Transmission controller with your custom calibration file and calculate all checksums and RSA corrections on the fly. xHP will calculate and display the remaining time during the whole procedure. The flash process is designed to be failsafe and will automatically correct small errors or error prone connections, to a certain degree. However, even if a flash fails, you can just start over. xHP is designed to keep your Transmission controller safe in every step of the process. When the flash



has finished, the App prompts you, to switch off your Ignition and let your car sit for a few seconds.

For an error-free flash procedure and to put as little load as necessary on your battery, please pay attention to Chapter 3 before flashing your vehicle! If the flash process gets interrupted, just restart the procedure. xHP will automatically recover your TCU and start the flash process again. Don't worry, if your car starts the "Gong" or shows various error messages on the CIC, during the flash process, as this is perfectly normal. All errors will be cleared after the flash procedure has finished. Some error may be still displayed on the CIC screen after flash. Just acknowledge them with the iDrive knob.

Note: xHP will check the connection and battery voltage of your vehicle before flash. If your voltage is below 12.0V xHP will refuse to start the operation.

Note: In the Car Information section (Vehicle button top right) you will find a history of the last files flashed.

Do NOT close this window or exit the App during the Flash Process.

4.5.3 Flash Settings/Custom. Module

Starting from App Version 1.3.2, xHP features a “Customization Module”, which allows users to change certain settings before flashing an OTS Map. The Module injects those user-defined values into every OTS Map before flash. Usage of the “Customization Module” is tied to the “Customization License”, which is available in the xHP Shop. You can access the Module through the “Flash Settings” button at the bottom of the Map-Flash Screen. Please note, that the Module is not available for all vehicles and/or engine/transmission combinations.

Custom Shiftpoints: Enables users to setup their own shiftpoints for WOT. The TCU will use the normal shiftpoints, like programmed in the OTS Map or Custom File, but will override them with the values entered here, when full throttle is applied. The Shiftpoints can be setup separately for D, S and M mode, each with Kickdown being active or inactive. “Kickdown” refers to the Kickdown-Switch at the end of the throttle travel, drivers recognize as small threshold in the pedal.



Kickdown: Enables users to enable/disable usage of the Kickdown-Switch, separately for D, S and M modes. There are 3 settings: Default, On, Off. Default uses whatever is setup in the flashed Map. On and Off override the setting in the Map respectively. Please note, that “Kickdown Off” does NOT mean, the car won’t downshift anymore. Just the maximum speed for downshift in each gear, when full throttle is applied, will be lowered!

Gear Display: Enables users to customize the display of the current gear in the dash. Four settings are available: Default, Gear Display Off, Display Actual Gear, Display Target Gear. Default uses whatever is setup in the flashed Map. Off, turns the Display off. The Dash will show just the current mode, but not the current gear (except in manual). Display Actual Gear and Display Target Gear will show the current gear in all modes (D, S and M), but differ in terms of when the display switches to the next gear. “Display Actual Gear” will let the display switch, when the shift is fully processed, and the next gear already engaged by the trans. “Display Target Gear” will switch the display right at the beginning of the shift. Perception of drivers is different, in terms of what is the correct time for changing the gear-display in the dash.

Start in 2nd Gear at Standstill: Let’s you chose, whether the transmission shifts down to 1st or 2nd gear at standstill. (in M-Mode)

4.6. xHP Store

The store is structured in 3 parts: Licences, Suggested resp. Compatible Map and all Maps. You will find all currently available licenses, such as the “General Flash License” on top of the screen. Once more modules become available, you’ll find them here. If you have already saved a specific vehicle on your device, you will find all compatible/suggested maps right below. If you haven’t saved a vehicle and just want to see what’s available, scroll through the “All Maps” section. You can also use the “Search Maps” Button on top, to narrow down the list.



Description

The Sport Setup is made for people wanting the most from their transmission on street use.

The revised Torque Converter setup provides snap-on take-off feeling at every junction, the cut-shift times in D/S/M modes wash away the sluggish shift feeling, BMW has implemented in these transmissions.

The Sport Setup is also the Map of choice for people with tuned engines. The raised TQ Limiters allow up to 900 Nm of Torque.

Changelog

BUY FOR € 69,99


Map Detail Screen

Clicking a map brings you to the Map detail screen, where you will see a detailed description of the map, a feature list and the changelog of the OTS Map. You can directly buy the map from here. After the purchase through Google Play Store is completed, xHP will start to download the map onto your device. Additionally, you will get free updates of your bought map in the future. Once you enter the Shop, xHP will automatically download new versions, when they are available. By scrolling down, you can look into the changelog, which tells you what has been changed in different versions. xHP won't overwrite old versions. You get to choose which version you want to flash.

4.7. Sidebar Menu

You can always access the Sidebar by clicking on the Menu button in the upper left corner of xHP. The Sidebar covers 4 sections:

- Miscellaneous functions
- Help & FAQ
- Contact
- About xHP Flashtool



4.7.1 Miscellaneous functions

If you ever run into problems with xHP, you can restore your TCU to running state, or uninstall xHP with the functions covered in this area.

- **Recode TCU:** On rare occasions, it may happen, that your TCU coding is not fully restored after a flash write. Most likely you will notice your paddles on the steering wheel are not working and/or you will see a “Missing Coding” Error stored. In this case, just hit this button and recode your TCU manually.
- **Emergency Flash:** If xHP cannot connect anymore to your TCU after a flash error, you can reflash it to stock with the Emergency Flash. This will write the Program & Calibration section of your TCU, so you have to re-install xHP afterwards. Please obey Chapter 3, especially if you had flash errors.
- **Reset TCU:** If your car has fallen into Limp Mode (most likely due to a bad custom file), sometimes you cannot restore your TCU to operation just through deleting fault codes. If this happens, reset your TCU first, and then clean your fault codes. You should now be able to continue your travel.
- **Flash Stock File:** Let's you quickly return your calibration file to stock. xHP will remain installed on the car.

- **Uninstall:** xHP will be deleted from your car. The procedure takes approx. 30 minutes. Pay attention to Chapter 3 in this manual, before proceeding! Since you're license and OTS maps purchases are saved through Google Play Store, you can re-install xHP later if you wish.
- **Flash Safety Checks:** This turns off the safety checks, carried out before each flash. xHP checks your auxiliaries, the gear lever position, your Ignition state and your Engine State prior flash. However, on some modded cars (e.g. non-OEM headlights), these checks fail and need to be omitted. If you turn off the Safety Checks you are fully responsible for putting your car in the correct state before starting a flash! Please read Chapter 3 carefully!
- **Upload files to Server/Restore files from Server:** Once you installed xHP onto your car, you can use these 2 buttons to save your Backups and State files to our server. This makes it easy to switch to another Android device. If you want to use a new device, upload the files to our server from the old device. Afterwards connect and save your car to the new device and press "Restore files from Server". This will tell your new device in what state your car is and what operations were carried out already with xHP.

5. FAQ

Q: Can I test xHP before buying anything?

A: Yes. The download of xHP is completely free. You can do a full read out of your TCU and read/delete fault codes without any license.

Q: May I return to stock at any time with xHP?

A: xHP creates a full backup, before attempting any flash procedure. You can flash back your original file at any time.

Q: Do I have to connect my Android device with xHP to my car all the time?

A: No. You only need to connect, when you're flashing, or reading data from your vehicle. During normal driving, you don't have to have a live connection, or even carry the device with you. But we do recommend to always carry your device with you, when you've installed a custom tune. If your transmission hops into Limp Mode, you will be able to restore your car to stock at any time with xHP and continue your travel.

Q: How do I check if my vehicle is supported?

A: The best way is to download the xHP app and connect it to your vehicle. xHP will tell you instant if your vehicle is supported. Alternatively, you can head to www.xhpflashtool.com and check our vehicle list. We do our best to keep this list as correct and up-to-date as possible. However, BMW changed TCUs regularly during the production lifecycle and there may be cases where your vehicle is on the list but still not supported. These cases are rare, but cannot be avoided 100%. If you are unsure, contact us through e-mail or on Facebook.

Q: My vehicle is supported, but I don't find any OTS maps in the store?

A: xHP only shows you maps in the store which fit your vehicle. There are 2 levels of support: OTS and Custom. OTS means we have pre-defined maps for your vehicle in the store. Custom means, that we haven't setup maps for your vehicle yet, but you can still build your own custom map and flash it. If you want us to add your vehicle, please head to the Contact chapter and write us an E-Mail.

Q: I have an Android device with xHP installed, a known good OBD/DCAN cable but I can't connect to my car?

A: Please make sure you are using an Android device with "USB OTG" functionality. Albeit most Android devices support the OTG protocol, some models come with this feature disabled. Please see Chapter 2.3 for further information. Second, please read Chapter 3 carefully. Your Ignition must be switched ON. (Key inserted and Start Button pressed once)

Q: I get frequent "Transmission disturbed" errors during reading/flashing my TCU?

A: In most cases a bad "OBD/DCAN" cable is the reason for unstable connections. Even some of the "expensive" cables sometimes sport bad soldering's or other issues. Most of the time, these cables are good enough for logging data or retrieving fault codes, but won't succeed in time critical, heavy-use operations like flashing your TCU. Consider trying another cable. It is unlikely that this issue is related to your phone or OTG Adapter. If you are using piggy-back units (e.g. JB4) please remove them completely from your vehicle before attempting a flash with xHP.

Q: How about reliability, will I shorten the life of my transmission using xHP?

A: None of the setups will have any general detrimental effect on the lifetime of transmission components. Not on the TCU, nor on the shafts or clutches. Keep in mind, that automatic transmissions are highly complicated units, with a few hundred components inside. Some of these components are designed to wear out (like clutches) through making use of them. Your driving style and proper maintenance have the biggest impact on the life-time of transmission components. Obey these simple rules:

- ✓ Let your transmission warmup on each drive before applying heavy throttle. You will notice some amount of slip in the warmup phase, which is intentionally to heat up the oil inside. Basic Rule: Your transmission needs about the same time to heat up as your engine oil.
- ✓ Don't "pump-up" your vehicle on standing starts with brake/throttle applied at the same time.
- ✓ Flush/change your transmission oil regularly. (approx. every 50k – 75k miles) BMW does not want you to do it, but ZF wants you. Trust ZF, who have built this transmission.
- ✓ S and M modes are designed to facilitate sporty and fun driving. Shift times are cut and clutches get applied more aggressive. Use these modes when necessary and not as standard. The TCU records the amount of time you spend in each mode. BMW uses this data to judge on warranty cases.

Q: I just flashed my transmission, but the shifts are bad.

A: Your transmission may behave weird, right after flash, e.g. starting in 3rd gear. This issue should clear within a few hundred meters of driving. The transmission has extensive adaption-algorithms, to keep shift quality in check over a full life time and even with heavily worn out clutches. The adaptations applied, are very sensitive to abrupt changes, as they operate in a narrow window. Therefore, shift quality can suffer in the first few hundred miles, after doing an oil-change, replacing transmission hardware, or changing the TCU software, like with xHP. Don't overstress your transmission during this adaption phase. The best way to adapt your transmission, is just normal driving in D mode with lots of varying speeds and shifts. We DO NOT advise anybody to clear the adaption values to speed up the process. Depending on the current wear state of your transmission, this can lead to unwanted and permanent bad results.

Q: I'm using MHD. What Map version should I flash?

A: For MHD N54 use the xHP transmission setting, for MHD N55 use the "Manual" setting.

Q: I have a custom Tune, respectively tune my ECU by myself. Anything to watch?

A: A lot of the maps in the TCU use the PPS (Pedal Position Sensor) as primary input. For example, the Shiftpoint –Maps and the TCC (Torque Converter Clutch) Maps. Therefore, it is recommended, to use the stock throttle mapping. This gives you greater control over the transmission's reactions. Having too much TQ on very low throttle will lead to an undesirable shifting behavior. This is not special to xHP. The same applies to the stock transmission software. As general advice: Do not use altered throttle maps in AT cars.

Q: I already have a Flash - Tune (COBB, custom Tune etc.) on my ECU (Engine). Do I need to uninstall it before using xHP?

A: No. xHP has no direct effect on your existing Engine tune.

Q: I'm running JB4, can I use xHP with it?

A: Yes, xHP will work on JB4 equipped cars, but you have to remove it before flash and install again. On our test cars setting JB4 to Map 0 was not enough, as JB4 was still disturbing communication to the TCU. This possibly depends on the JB4 revision you are using.

Q: Will xHP void my OEM or dealer warranty?

A: xHP changes the calibration file on your TCU. Like every other tune on your vehicle, this will very likely void your OEM or dealer warranty, depending on your Country and/or guarantee contract. However, dealer testers are unable to detect xHP. You don't need to remove xHP, before visiting a dealer.

Q: Am I allowed to change between different OTS and custom tunes?

A: You can switch between tunes as often as you like and you are allowed to buy multiple OTS tunes and manage them on the same device.

Q: Is it possible to use xHP on more than one car at the same time?

A: No. You first have to uninstall xHP, before you're able to use it on another vehicle.

Q: I lost/changed my Android device. How do I make xHP work again?

A: From App Version V2.0.3 on xHP saves all your data on our server, tied to your user account. When using a new device, be sure to select the same user account on first startup. If you selected the wrong one, re-install xHP, so it prompts you again. xHP will download your backups, saved cars and purchases afterwards. If xHP prompts you to do a "Backup" on a car you already flashed in the past, not all files were synced in the past to our server. This can happen, when there was no I-Net connection available. In this case, contact us under office@rbttuning.com to get new backup files.

Q: What happens to my tunes, if I switch to another vehicle?

A: If you're having a vehicle of the exact same type (Vehicle Typecode + Transmission hardware#) you can re-use the OTS tunes.

Q: I installed the Stage 3 Map on my vehicle, but it's still not shifting as quick as seen in some Youtube Videos!

A: You very likely refer to videos with a 5-Series car with Sport Automatic Option. BMW uses the same transmission on these cars, but they trick human perception by changing the behavior of the rev-counter. Dampening is removed and the needle jumps instantly to the target value, before the shift of the transmission is even completed. The shift itself is in fact slower compared to xHP Stage 3 Maps. This "Sport Option" is a handshake between the ECU and the TCU controller. xHP activates the sport mode in the TCU on all vehicles, but it depends on your ECU, if it has this mode built in from factory. For example, 335i N54 cars do not have it, whereas 135i and 335i N55 sport it. Diesel 3-Series do not have this mode at all.

Q: Will my car be still updateable by the dealer?

A: Before doing a software update at the dealer, you MUST uninstall xHP. If the xHP configuration gets overwritten through a dealer update, the App will have no way, to check for proper installation and will therefore refuse to flash the car again. Generally speaking, xHP will always flash the newest available calibration on to your TCU, so there's no need to update it at the dealer.

Q: xHP refuses to connect to my car, although it is supported!

A: The common issue is, that your Smartphone is not OTG compatible. Please see the appropriate section in this Manual. Secondly, some Android versions sport bad OTG handling and xHP does not get granted access to the USB/OTG port. Please make sure, that the OTG access dialogue has popped up and you answered with "Yes". If you still can't connect, you may want to try upgrading your Smartphone. Android versions from 5.0.1 and up are more stable in connection handling.

Q: I can't download xHP from the Google Play Store. It says: "Incompatible device".

A: If your device does not support OTG, Google Play won't let you download xHP. Most older Android devices are OTG compatible, so you probably want to get a cheap, old device on Ebay etc. for use with xHP. xHP requires Android 4.3.x as a minimum to run.

Q: I can't purchase a License or Maps. I get a "Payment declined" or similar message.

A: The payment processing is carried out fully by Google. The App itself does not see any payment data from your side, nor do we know the reason, why Google declined the purchase. Please look at this page, how to clear payment errors with Google: [Google Support Page](#) If you continue to run into payment problems, you may want to consider buying Pre-Paid Google gift cards and add them to your account. They always work, regardless of your payment status with Google or your credit card company. As last resort, you can contact us under office@rbttuning.com for a solution.

Q: I need help. Something went wrong during flash!

A: Please follow everything from Chapter 3 precisely and then try again. If it still does not work, the most common issue is a bad OBD cable and/or OTG Adapter. If you are unsure, please zip all your files from the "xHP Flashtool" folder on your phone/tablet and send it to office@rbttuning.com. This way we can see exactly what happened before the problem occurred and can help you as fast as possible.

Q: I'm getting an error, when attempting to flash a map. (Object reference....)

A: This can happen in some cases, when the Map Download did not complete properly. Please go to the Misc Menu and press "Re-Download OTS Maps". Be sure to have proper internet connection when doing this. Map downloads can take up to 2 minutes.

Q: xHP argues about "Missing Base File" when attempting a flash.

A: Please go to the "Car Information Screen" and click "Re-Check Vehicle". This will download the base file.

Q: I'm having "Dynamic Drive" Errors after the flash and can't clear them.

A: The BMW Dynamic Drive system is pretty picky, when there is no CAN Bus communication for some time. On every flash, the CAN Bus has to be shut down for all other units in the car, so you can use the whole bandwidth for the flash operation and maintain a stable flash. After all returning to normal, the BMW dynamic drive has to recalibrate and re-align the position on all 4 wheels. During this procedure the system is inactive and will throw all kind of fault messages. Those errors can't be cleared manually, you just have to wait for the system, to settle in again, which can take some miles/time. (up to 1 hour of driving, dependent on road surface) If you want to speed that up and have the knowledge, you may also relearn the units through the known BMW Tools.

Q: I'm getting a "ECU CONDITIONS NOT CORRECT..." error when starting a flash. (5/6-Series Pre-LCI)

A: This means your TCU is refusing to enter programming mode, because certain pre-conditions are not met. This usually can be solved by letting the car go to sleep for 20 minutes, while on a battery charger.

Q: I flashed an xHP Map on my Pre-LCI 5 or 6 Series car, but I don't see the Gear-Display in D-Mode?

A: Most of the 5 and 6-Series cars (before Facelift) were equipped with a faulty dash software, which is unable to display a gear number in S-Mode. When S-Mode is engaged, most of these cars display a red gearbox-error sign in the dash. Therefore, the Gear-Display is not active in the xHP Maps for those cars. You can try to activate it by yourself through xHP's Customization Module, but we can't guarantee it will work. Unfortunately, there is no way of checking upfront, if a certain car is affected by that or not.

6. Credits

RBT TUNING GMBH

Wolfauerstrasse 19
4040 Linz
Austria
VAT: ATU73010225
FN: 485934i

e-Mail: office@rbttuning.com

Facebook: www.facebook.com/xhpflashtool

7. Disclaimer

xHP Flashtool is a racing product for use in competition driving, on closed Race circuits only!

The End-User is responsible for obeying local laws!

Introduction

The use of xHP Flashtool (later referred to as “the application”) is governed by the policies, terms and conditions of use as set forth under the Terms of Use. Please read them carefully, as your use of the application, including the submittal of any personal information, indicates your acceptance of these Terms. RBT TUNING GMBH reserves the right to make changes to the application and these Terms at any time.

Legal Notice

The applications name and intellectual properties are trademarked and owned by RBT TUNING GMBH The use or misuse of this trademark or any other contents distributed through xHP Flashool, except as provided in these Terms, is strictly prohibited.

Privacy Policy

The Application and all of its contents including, but not limited to, all text and images are owned and copyrighted by RBT TUNING GMBH with all rights reserved unless otherwise noted. Any content that is a trademark, logo, or service mark is also a registered or unregistered trademark of RBT TUNING GMBH. We may use the information, we collect from you when you register, make a purchase, sign up for our newsletter, respond to a survey or marketing communication, surf the website, or use certain other application features in the following ways:

- ✓ To allow us to better service you in responding to your customer service requests.
- ✓ To quickly process your transactions.
- ✓ To ask for ratings and reviews of services or products
- ✓ To track our marketing actions through use of tools provided by Google LLC and Facebook Ireland Ltd.

If you choose to withdraw from this agreement, or have questions regarding your stored data please contact us at office@rbttuning.com.

Disclaimer of Warranties

The information, materials, services and products included in the application may include inaccuracies or typographical errors. RBT TUNING GMBH may make changes or improvements to the application at any time. The materials in the application are provided ‘as is’ and without warranties of any kind either expressed or implied, to the fullest extent permissible pursuant to applicable law, RBT TUNING GMBH disclaims all warranties or merchantability and fitness for a particular purpose. RBT TUNING GMBH does not warrant that the functions contained in the application will be uninterrupted or error free, that defects will be corrected, or that the application or the server that makes it available are free of viruses or other harmful components. RBT TUNING GMBH does not warrant or make any representations regarding the use of, or the result of the use of, the material in the application in terms of their correctness, accuracy, reliability, timeliness, or otherwise.

Limits on Liability

RBT TUNING GMBH will not be liable for:

- ✓ **The contents of any communication, message, or information provided to RBT TUNING GMBH by you or other third parties.**
- ✓ **The contents of any website not controlled, owned, or operated by RBT TUNING GMBH that is accessed from or linked to by direct or indirect means.**
- ✓ **Any damages or injury caused by, including but not limited to, any harm, failure of performance, error, omission, interruption, defect, or delay in operation of the end-user’s vehicle or (if applicable) the end-user himself. This also applies to all persons traveling with in the end-users vehicle and all valuables stored in the vehicle at any time the end-user makes use of the application.**

- ✓ **Any direct, indirect, incidental, special, or consequential damages whether in contract, tort, strict liability or otherwise, arising out of, or relating to use of, or inability to use the application, even if RBT TUNING GMBH has been advised of the possibility of such damages. If certain states do not allow the limitation of liability for consequential or incidental damages, the above may not apply to you.**

Indemnification

You agree to indemnify and hold RBT TUNING GMBH harmless from all claims, liabilities, damages, and expenses (including attorneys' fees and expenses) arising out of or relating to (a) your use of the application; (b) any alleged breach of these Terms.

Limited License

The application is for your personal and noncommercial use. You are granted a non-exclusive, non-assignable and non-transferable license to use this system only under these Terms. Except as otherwise expressly provided, you may not modify, copy, distribute, transmit, display, perform, reproduce, use, publish, license, create derivative works from, transfer or sell any information or content contained in the system, software, products, or services obtained from or available as part of or in conjunction with this system. The application may be used only by you, and you may not rent, lend, sub-license or transfer the application or any data residing on it or any of your rights under this agreement to anyone else. You may not develop or derive for commercial sale any data in machine-readable or other form that incorporates or uses any substantial part of the application, unless granted by RBT TUNING GMBH to do so. You may not transfer to or store any data residing or exchanged over the application in any electronic network for use by more than one user unless you obtain prior written permission from RBT TUNING GMBH

Law

The application is operated by RBT TUNING GMBH, Austria. RBT TUNING GMBH makes no representation that materials in the application are appropriate or available for use in other locations. If you use the application from other locations, you do so on your own initiative and are responsible for compliance with local laws, if and to the extent local laws are applicable. These Terms and any dispute that might arise between you and RBT TUNING GMBH, its affiliates, subsidiaries, or licensees, with respect to the application shall be governed by Austrian law, without regard to principles of conflict of laws. Use of the application is unauthorized in any jurisdiction that does not affect to all provisions of these Terms, including without limitation this paragraph.

Remedies

Given the nature of these Terms, you understand and agree that, in addition to money damages, RBT TUNING GMBH will be entitled to equitable relief upon a breach of them by you.

Waiver

No waiver by RBT TUNING GMBH shall be construed as a waiver of any proceeding or succeeding breach of any provision.

Survival of Provisions

Each provision of the Terms shall be construed as separately applying and surviving, even if for any reason one or other of those provisions is held to be inapplicable or unenforceable in any circumstances. These Terms shall be severable and construed to the extent of their enforceability in light of the parties' mutual intent if deemed at all unenforceable by the competent court.

Entire Agreement

These Terms shall supersede any subsequent terms or conditions included within the application. We intend that these Terms constitute the entire agreement between RBT TUNING GMBH and you. Any changes to these Terms between RBT TUNING GMBH and you must be in writing and signed by both parties.